

BALL

TYPE:

Suspension

PROJECT NAME:

MODEL #	SHADE COLOR	FIXTURE HEIGHT	HALO	LED	VOLTAGE
					120V



SHADE OPTIONS

ST = STANDARD ALUMINUM



30cm
(11.8")



MODEL - BALL HL 30

LIGHT SOURCE OPTIONS

H = HALOGEN - 7 x 10W 12V G4
or
L = LED - 7 x 1.5W 12V 2700K WW
100 Lumens each LED 30,000 hours

FIXTURE HEIGHT OPTIONS (A)

32 = 32"
44 = 44"
56 = 56"

CH = Custom height available. Please contact our office.
NOTE 1: Suspension Rod is not field cuttable.
NOTE 2: Height stated above may vary + - 1" - 4" due to the fixture arms can be adjusted slightly as the fixture is hand made and organic in shape.

DIMMING NOTE:

HALOGEN VERSION - Dimmable with a Low-Voltage Electronic dimmer.
LED VERSION - Dimmable with a leading edge or trailing edge TRIAC dimmer.

SPECIFICATION SHEET

HARCOLOOR DESIGN

BALL

TYPE:

Suspension


PROJECT NAME:

MODEL #	SHADE COLOR	FIXTURE HEIGHT	HALO	LED	VOLTAGE
					120V



SHADE OPTIONS

ST = STANDARD ALUMINUM




MODEL - BALL HL 40

LIGHT SOURCE OPTIONS

H = HALOGEN - 9 x 10W 12V G4
or
L = LED - 9 x 1.5W 12V 2700K WW
100 Lumens each LED 30,000 hours

FIXTURE HEIGHT OPTIONS (A)

32 = 32"
44 = 44"
56 = 56"
CH = Custom height available. Please contact our office.
NOTE 1: Suspension Rod is not field cuttable.
NOTE 2: Height stated above may vary + - 1" - 4" due to the fixture arms can be adjusted slightly as the fixture is hand made and organic in shape.




MODEL - BALL HL 50

LIGHT SOURCE OPTIONS

H = HALOGEN - 12 x 10W 12V G4
or
L = LED - 12 x 1.5W 12V 2700K WW
100 Lumens each LED 30,000 hours

FIXTURE HEIGHT OPTIONS (A)

32 = 32"
44 = 44"
56 = 56"
CH = Custom height available. Please contact our office.
NOTE 1: Suspension Rod is not field cuttable.
NOTE 2: Height stated above may vary + - 1" - 4" due to the fixture arms can be adjusted slightly as the fixture is hand made and organic in shape.



MODEL - BALL HL 60

LIGHT SOURCE OPTIONS

H = HALOGEN - 15 x 10W 12V G4
or
L = LED - 15 x 1.5W 12V 2700K WW
100 Lumens each LED 30,000 hours

FIXTURE HEIGHT OPTIONS (A)

32 = 32"
44 = 44"
56 = 56"
CH = Custom height available. Please contact our office.
NOTE 1: Suspension Rod is not field cuttable.
NOTE 2: Height stated above may vary + - 1" - 4" due to the fixture arms can be adjusted slightly as the fixture is hand made and organic in shape.

DIMMING NOTE:

HALOGEN VERSION - Dimmable with a Low-Voltage Electronic dimmer.
LED VERSION - Dimmable with a leading edge or trailing edge TRIAC dimmer.

SPECIFICATION SHEET

HARCOLOOR DESIGN

BALL

TYPE:

Suspension


PROJECT NAME:

MODEL #	SHADE COLOR	FIXTURE HEIGHT	HALO	LED	VOLTAGE
					120V



SHADE OPTIONS

ST = STANDARD ALUMINUM




MODEL - BALL HL 70

LIGHT SOURCE OPTIONS

H = HALOGEN - 14 x 10W 12V G4
or
L = LED - 14 x 1.5W 12V 2700K WW
100 Lumens each LED 30,000 hours

FIXTURE HEIGHT OPTIONS (A)

32 = 32"
44 = 44"
56 = 56"
CH = Custom height available. Please contact our office.
NOTE 1: Suspension Rod is not field cuttable.
NOTE 2: Height stated above may vary + - 1" - 4" due to the fixture arms can be adjusted slightly as the fixture is hand made and organic in shape.




MODEL - BALL HL 100

LIGHT SOURCE OPTIONS

H = HALOGEN - 20 x 10W 12V G4
or
L = LED - 20 x 1.5W 12V 2700K WW
100 Lumens each LED 30,000 hours

FIXTURE HEIGHT OPTIONS (A)

32 = 32"
44 = 44"
56 = 56"
CH = Custom height available. Please contact our office.
NOTE 1: Suspension Rod is not field cuttable.
NOTE 2: Height stated above may vary + - 1" - 4" due to the fixture arms can be adjusted slightly as the fixture is hand made and organic in shape.



MODEL - BALL HL 150

LIGHT SOURCE OPTIONS

H = HALOGEN - 30 x 10W 12V G4
or
L = LED - 30 x 1.5W 12V 2700K WW
100 Lumens each LED 30,000 hours

FIXTURE HEIGHT OPTIONS (A)

32 = 32"
44 = 44"
56 = 56"
CH = Custom height available. Please contact our office.
NOTE 1: Suspension Rod is not field cuttable.
NOTE 2: Height stated above may vary + - 1" - 4" due to the fixture arms can be adjusted slightly as the fixture is hand made and organic in shape.

DIMMING NOTE:

HALOGEN VERSION - Dimmable with a Low-Voltage Electronic dimmer.
LED VERSION - Dimmable with a leading edge or trailing edge TRIAC dimmer.

SPECIFICATION SHEET

HARCOLOOR DESIGN

BALL

TYPE:

Suspension

PROJECT NAME:


_____ - _____ - _____ - _____ - _____ - 120V

MODEL # SHADE COLOR FIXTURE HEIGHT HALO LED VOLTAGE



SHADE OPTIONS

ST = STANDARD ALUMINUM



MODEL - BALL HL 180

LIGHT SOURCE OPTIONS

H = HALOGEN - 35 x 10W 12V G4
 or
 L = LED - 35 x 1.5W 12V 2700K WW
 100 Lumens each LED 30,000 hours

FIXTURE HEIGHT OPTIONS (A)

32 = 32"
 44 = 44"
 56 = 56"
 CH = Custom height available. Please contact our office.
 NOTE 1: Suspension Rod is not field cuttable.
 NOTE 2: Height stated above may vary + - 1" - 4" due to the fixture arms can be adjusted slightly as the fixture is hand made and organic in shape.

SPECIFICATION SHEET

HARCOLOOR DESIGN

HARCOLOOR DESIGN

DIMMING NOTE:

HALOGEN VERSION - Dimmable with a Low-Voltage Electronic dimmer.
 LED VERSION - Dimmable with a leading edge or trailing edge TRIAC dimmer.