


STRAWBERRY

TYPE:


Suspension

PROJECT NAME:

										120V	
MODEL #		GLASS COLOR		FIXTURE HEIGHT		HALO		LED		VOLTAGE	
SHADE OPTIONS										ETL Intertek	
ST = STANDARD GSW MULTICOLOR											



SPECIFICATION SHEET



A

MODEL - STRAWBERRY HL 7

LIGHT SOURCE OPTIONS

H = HALOGEN - 7 x 10W 12V G4
or
L = LED - 7 x 1.5W 12V 2700K WW
100 Lumens each LED 30,000 hours

FIXTURE HEIGHT OPTIONS (A)

32 = 32"

44 = 44"

56 = 56"

CH = Custom height available. Please contact our office.

NOTE 1: Suspension Rod is not field cuttable.

NOTE 2: Height stated above may vary + - 1" - 4" due to the fixture arms can be adjusted slightly as the fixture is hand made and organic in shape.

DIMMING NOTE:

HALOGEN VERSION - Dimmable with a Low-Voltage Electronic dimmer.

LED VERSION - Dimmable with a leading edge or trailing edge TRIAC dimmer.

WWW.HARCOLOORLIGHTING.COM

A SCANGIFT® BRAND

STRAWBERRY

TYPE:

Suspension


PROJECT NAME:

									120V
MODEL #									VOLTAGE
GLASS COLOR									
FIXTURE HEIGHT									
HALO									
LED									



SHADE OPTIONS

ST = STANDARD GSW MULTICOLOR



A

MODEL - STRAWBERRY HL 9

LIGHT SOURCE OPTIONS

H = HALOGEN - 9 x 10W 12V G4
or
L = LED - 9 x 1.5W 12V 2700K WW
100 Lumens each LED 30,000 hours


FIXTURE HEIGHT OPTIONS (A)

32 = 32"

44 = 44"

56 = 56"

CH = Custom height available. Please contact our office.
NOTE 1: Suspension Rod is not field cuttable.
NOTE 2: Height stated above may vary + - 1" - 4" due to the fixture arms can be adjusted slightly as the fixture is hand made and organic in shape.



A

MODEL - STRAWBERRY HL 12

LIGHT SOURCE OPTIONS

H = HALOGEN - 12 x 10W 12V G4
or
L = LED - 12 x 1.5W 12V 2700K WW
100 Lumens each LED 30,000 hours


FIXTURE HEIGHT OPTIONS (A)

32 = 32"

44 = 44"

56 = 56"

CH = Custom height available. Please contact our office.
NOTE 1: Suspension Rod is not field cuttable.
NOTE 2: Height stated above may vary + - 1" - 4" due to the fixture arms can be adjusted slightly as the fixture is hand made and organic in shape.



A

MODEL - STRAWBERRY HL 15

LIGHT SOURCE OPTIONS

H = HALOGEN - 15 x 10W 12V G4
or
L = LED - 15 x 1.5W 12V 2700K WW
100 Lumens each LED 30,000 hours

FIXTURE HEIGHT OPTIONS (A)

32 = 32"

44 = 44"

56 = 56"

CH = Custom height available. Please contact our office.
NOTE 1: Suspension Rod is not field cuttable.
NOTE 2: Height stated above may vary + - 1" - 4" due to the fixture arms can be adjusted slightly as the fixture is hand made and organic in shape.

DIMMING NOTE:

HALOGEN VERSION - Dimmable with a Low-Voltage Electronic dimmer.
LED VERSION - Dimmable with a leading edge or trailing edge TRIAC dimmer.

SPECIFICATION SHEET

HARCOLOOR DESIGN

A SCANGIFT® BRAND


WWW.HARCOLOORLIGHTING.COM

STRAWBERRY

TYPE:


Suspension

PROJECT NAME:

									120V
MODEL #	GLASS COLOR		FIXTURE HEIGHT		HALO	LED	VOLTAGE		
SHADE OPTIONS									
	2	4	5	7	8	9	10	15	



ST = STANDARD GSW MULTICOLOR



A

MODEL - STRAWBERRY HL 20


LIGHT SOURCE OPTIONS

H = HALOGEN - 20 x 10W 12V G4
or
L = LED - 20 x 1.5W 12V 2700K WW
100 Lumens each LED 30,000 hours

FIXTURE HEIGHT OPTIONS (A)

32 = 32"
44 = 44"
56 = 56"

CH = Custom height available. Please contact our office.
NOTE 1: Suspension Rod is not field cuttable.
NOTE 2: Height stated above may vary + - 1" - 4" due to the fixture arms can be adjusted slightly as the fixture is hand made and organic in shape.



A

MODEL - STRAWBERRY HL 30


LIGHT SOURCE OPTIONS

H = HALOGEN - 30 x 5W 12V G4
or
L = LED - 30 x 1.5W 12V 2700K WW
100 Lumens each LED 30,000 hours

FIXTURE HEIGHT OPTIONS (A)

32 = 32"
44 = 44"
56 = 56"

CH = Custom height available. Please contact our office.
NOTE 1: Suspension Rod is not field cuttable.
NOTE 2: Height stated above may vary + - 1" - 4" due to the fixture arms can be adjusted slightly as the fixture is hand made and organic in shape.



A

MODEL - STRAWBERRY HL 40

LIGHT SOURCE OPTIONS

H = HALOGEN - 40 x 5W 12V G4
or
L = LED - 4 x 1.5W 12V 2700K WW
100 Lumens each LED 30,000 hours

FIXTURE HEIGHT OPTIONS (A)

32 = 32"
44 = 44"
56 = 56"

CH = Custom height available. Please contact our office.
NOTE 1: Suspension Rod is not field cuttable.
NOTE 2: Height stated above may vary + - 1" - 4" due to the fixture arms can be adjusted slightly as the fixture is hand made and organic in shape.

DIMMING NOTE:

HALOGEN VERSION - Dimmable with a Low-Voltage Electronic dimmer.
LED VERSION - Dimmable with a leading edge or trailing edge TRIAC dimmer.

SPECIFICATION SHEET

HARCOLOOR DESIGN

A SCANGIFT® BRAND

WWW.HARCOLOORLIGHTING.COM

STRAWBERRY

TYPE:

Suspension

PROJECT NAME:

MODEL #

GLASS COLOR

FIXTURE HEIGHT

HALO

LED

VOLTAGE

SHADE OPTIONS

ST = STANDARD GSW MULTICOLOR

2

4

5

7

8


9

10

15

120V

ETL Intertek



A

MODEL - STRAWBERRY HL 50

LIGHT SOURCE OPTIONS

H = HALOGEN - 50 x 5W 12V G4
or
L = LED - 50 x 1.5W 12V 2700K WW
100 Lumens each LED 30,000 hours

FIXTURE HEIGHT OPTIONS (A)

32 = 32"
44 = 44"
56 = 56"
CH = Custom height available. Please contact our office.
NOTE 1: Suspension Rod is not field cuttable.
NOTE 2: Height stated above may vary + - 1" - 4" due to the fixture arms can be adjusted slightly as the fixture is hand made and organic in shape.

SPECIFICATION SHEET



DIMMING NOTE:

HALOGEN VERSION - Dimmable with a Low-Voltage Electronic dimmer.
LED VERSION - Dimmable with a leading edge or trailing edge TRIAC dimmer.